

Index of concepts

A

- absolutely free extension constructor, 263
- abstract
 - algebraic institution, 218
 - fully
 - algebra, 344
 - model, for **FPL**, 371
 - model
 - specification, 336
 - theory, 227
 - reduction system, 69
- abstraction
 - condition, 218
 - data, 8, 325
 - rule, 56
- abstractor implementation, *see* behavioural implementation
- adjoint
 - left, 147
 - right, 152
- adjunction, 151
- admissible rule, 54
- admitting
 - amalgamation, 202
 - initial models, 219
 - method of diagrams, 217
 - model expansion, 193, 251
 - reachable initial models, 219
- algebra, 3, 20
 - as model
 - of program module, 7
 - of software system, ix, 3
 - Boolean, 46
 - compatible, 330
 - for **FPL**, 367
 - continuous, 92
 - equational logic for, 169
 - derived, 36
 - error, 80
 - fully abstract, 344
 - Heyting, 73
 - higher-order, 91
 - initial, 59
 - isomorphic, 24
 - many-sorted, 3, 20
 - order-sorted, 87
 - partial, 11, 83
 - homomorphism, *see* weak homomorphism
 - product, 22
 - quotient, 26
 - reachable, 21
 - reduct, 34
 - w.r.t. derived signature morphism, 37
 - semi-computable, 71
 - term, 27
 - universal, x, xi
 - word, *see* term algebra
 - see also* model
- algebraic
 - signature, 19
 - morphism, 33
 - specification, xi, 1
 - theory, 104
- α -conversion, 281
- amalgamated union
 - constructor, 270
 - of constructors, 270, 365
 - for **FPL**, 373

- amalgamation, 202
 - Amalgamation Lemma, 203
 - for algebras, 134
 - for theories, 203
 - and**, *see* specification sum
 - arity, 19
 - associativity of composition, 100
 - assumption of consequence, 51
 - atomic formula, 165
 - axiom, x , 5, 41, 42
 - definitional, 433
 - equational, 42
 - limitation of, 71
 - of presentation, 44
 - rule, 53
 - see also* sentence
- B**
- behaviour
 - functional, 5, 41
 - input/output, ix, 2
 - of program, 325
 - behavioural
 - abstraction of specification, 335
 - for **FPL**, 370
 - closedness, 346
 - for **FPL**, 371
 - closure, 335
 - for **FPL**, 370
 - weak, 339
 - congruence, 340
 - for **FPL**, 370
 - consequence, 454, 460
 - between specifications, 469
 - for specification, 466
 - correctness, 361, 475
 - for **FPL**, 373
 - equivalence, 325, 331
 - for constructors, 399
 - for **FPL**, 367
 - weak, 337
 - expansion, 346
 - for **FPL**, 371
 - FPL**-morphism, 370
 - homomorphism, 332
 - implementation, 350, 473
 - for **FPL**, 371
 - indistinguishability, 341
 - for **FPL**, 371
 - partial, 344
 - partial, axiomatisation of, 457–460, 462–465
 - model, 342
 - for **FPL**, 371
 - of persistent constructor specification, 362
 - of persistent constructor specification, for **FPL**, 373
 - quotient, for **FPL**, 371
 - relativisation, 456
 - satisfaction, 342
 - for **FPL**, 371
 - semantics, 342
 - for **FPL**, 371
 - subalgebra, 332
 - submodel, for **FPL**, 370
 - triviality, 353
 - for **FPL**, 371
 - β -reduction, 283
 - bijection, 17
 - Birkhoff's Variety Theorem, 47
 - Boolean algebra, 46
 - boolean room, 513
 - bottom-up vs. top-down development, 308
 - branching-time temporal logic, 186
- C**
- carrier, 20
 - empty, 20, 38, 55
 - set, 20
 - Cartesian product, 16, 97
 - case analysis
 - as induction for booleans, 63
 - pattern-matching, 173
 - adding observational power, 369
 - proof rule, 409, 410
 - CASL
 - and**, 240
 - architectural specification, 324
 - differences from, 230
 - free**, 235
 - free type, 172
 - generated**, 235
 - generic
 - specification, 278
 - unit specification, 273
 - hide**, 233, 261
 - reveal**, 237, 261
 - specification language, 14, 230, 237
 - then**, 238
 - unit
 - amalgamation, 270
 - application, 268
 - with**, 232
 - category, 99
 - co-well-powered, 126
 - cocomplete, 121
 - finitely, 121
 - comma, (**F**, **G**), 139

- complete, 121
 - finitely, 121
- discrete, \mathbf{K}_X , 101
- equivalent, 143
- functor, $[\mathbf{K1} \rightarrow \mathbf{K2}]$, 141
- Grothendieck, $\mathbf{Groth}(\mathbf{C})$, 141
- indexed, 141
- isomorphic, 143
- locally small, 105
- monoid, 102
- morphism, \mathbf{K}^{\rightarrow} , 107, 139, 141
- of categories, \mathbf{Cat} , 132
- of functors into \mathbf{K} , $\mathbf{Funct}(\mathbf{K})$, 142
- of objects over A , $\mathbf{K} \downarrow A$, 108, 139
- opposite, \mathbf{K}^{op} , 106
- preorder, \mathbf{K}_{\leq} , 101
- product, $\mathbf{K1} \times \mathbf{K2}$, 107
- skeletal, 143
- slice, $\mathbf{K} \downarrow A$, 108, 139
- small, 105
- theory, x, xi, 12, 97–152
 - set-theoretic foundations for, 104
- chasing, diagram, 108
- Church-Rosser, *see* confluence
- circular coinduction, 484
- class
 - equivalence, 18
 - isomorphism, 24
 - of all Σ -specifications, $\mathit{Spec}(\Sigma)$, 230
 - of all specifications over institution, $\mathit{Spec}_{\mathbf{INS}}$, 494
 - of all specifications, Spec , 230
 - of models
 - closed, 188
 - closure of, 188
 - definable, 188
 - of equations, 49
 - of sentences, 188
 - theory of, 188
- clever slogan, 292
- closed
 - algebra class, 49
 - behaviourally, 346
 - for \mathbf{FPL} , 371
 - completeness
 - of entailment for specification, 417
 - of property-oriented semantics, 247
 - correspondence, 360
 - element in Galois connection, 50
 - equation set, 49
 - model class, 188
 - sentence set, 188
 - world assumption, *see* “no junk” requirement
- closure
 - behavioural, 335
 - for \mathbf{FPL} , 370
 - \mathbf{INS} -, 384
 - \mathbf{INS} -, w.r.t. behavioural morphism class, 390
 - weak, 339
 - of algebra class, 49
 - of equation set, 49
 - of model class, 188
 - of sentence set, 188
 - under propositional connectives, 182
 - under pushouts, 204
- co-well-powered category, 126
- coalgebra, 11
- cocomplete category, 121
- cocone, 120
- cocontinuous functor, 131
- codata constraint, 198
- codomain, 17, 100
- coequaliser, 116
- cofree object, 152
- coimage
 - of set, 17
 - of subalgebra, 24
- coinduction, 484
- colimit, 121
- combination of specification-building operations, 237
- comma category, (\mathbf{F}, \mathbf{G}) , 139
- commutative diagram, 23, 108
- comorphism
 - institution, 519
 - extending semi-comorphism, 520
 - forward, 518
 - theoretical, 527
- compact, 189, 414
- compatible algebra, 330
 - for \mathbf{FPL} , 367
- complete category, 121
- completeness, 56
 - closed
 - of entailment for specification, 417
 - of property-oriented semantics, 247
 - flat
 - of entailment for specification, 417
 - of property-oriented semantics, 247
 - lack of
 - for \mathbf{FPL} , 410, 414
 - for initial semantics, 64
 - of conditional equational calculus, 72
 - of constructor entailment between specifications, 438
 - of convertibility, 67
 - of entailment
 - between specifications, 430, 431

- for specification, 416, 418, 424
 - system for **INS**, 403
- of equational calculus, 56
 - for ground equations, for initial semantics, 64
- of presentation, 193
- of property-oriented semantics, 247
- of term rewriting system, 68
- sufficient, 61
- vs. soundness, 56, 402
- composition, 100
 - associativity of, 100
 - diagrammatic order of, 17, 100
 - horizontal
 - of constructor implementations, 310
 - of natural transformations, 137
 - of simple implementations, 299
 - in category, 100
 - of functions, 17
 - of functors, 133
 - of homomorphisms, 24
 - of morphisms, 100
 - of relations, 17
 - of signature morphisms, 34
 - of substitutions, 30
 - of theory morphisms, 51
 - vertical
 - of behavioural implementations, 352
 - of behavioural implementations, for **FPL**, 371
 - of constructor implementations, 303
 - of natural transformations, 137
 - of simple implementations, 295
 - see also* relevant category in Index of Categories and Functors
- compositional
 - entailment for specification, 417
 - proof, 425, 483
 - property-oriented semantics, 246
 - semantics, 230
- compound name, 241
- conclusion of consequence, 51
- concretion rule, 56
- concurrency, 11
- condition
 - abstraction, 218
 - satisfaction, 158, 160
 - for institution comorphism, 519
 - for institution morphism, 503
- conditional
 - equation, 72
 - equational calculus, 72
 - rewrite rule, 72
 - term, 175
- cone, 120
- confluence, 68
 - weak, 69
- “confusion”, 57
- congruence, 26
 - behavioural, 340
 - partial, for **FPL**, 370
 - generated by equations, 58
 - least, 26
 - partial, 344
 - for **FPL**, 370
 - quotient by, 344
 - reduct, 35
 - relation, 26
 - rule, 53
- connected diagram, 120
- consequence
 - assumption of, 51
 - behavioural, 454, 460
 - between specifications, 469
 - for specification, 466
 - conclusion of, 51
 - model-theoretic, *see* semantic consequence
 - proof-theoretic, 53, 64
 - approximates truth, 64, 402
 - semantic, 50, 64, 188, 245, 430
 - embodies truth, 64, 402
- conservative
 - specification morphism, 250
 - theory morphism, 193, 414
- consistency
 - not preserved by implementation, 298
 - of constructor specification, 272
 - of presentation, 193
 - of specification, 230
 - proof by, 70
- constant operation, 19
- constraint
 - codata, 198
 - data, 197
 - generation, 197
 - initiality, 195
 - reachability, 196
- construction, Grothendieck, 141
- constructor, 260, 281, 498
 - absolutely free extension, F_σ , 263
 - amalgamated union
 - $- +_{\sigma_1, \sigma_2} \rightarrow$, 270
 - of, $F_1 + F_2$, 270, 365
 - of, $F_1 + F_2$, for **FPL**, 373
 - as a specification-building operation, 265
 - behaviourally correct, 361, 475
 - for **FPL**, 373
 - INS**-, 393

- behaviourally trivial, 353
 - for **FPL**, 371
 - INS**-, 386
 - entailment between specifications, 438, 443
 - expression, 281
 - semantics of, 284
 - free extension, $F_{\sigma, SP'}$, 262, 356
 - generalised, 498
 - implementation, 303
 - for constructor specification, 308
 - generalised, 498
 - horizontal composition of, 310
 - proving correctness of, 438
 - vertical composition of, 303
 - with decomposition, 309
 - in a global context, 269, 357
 - persistent, 266
 - behaviourally correct, 361, 475
 - behaviourally correct, for **FPL**, 373
 - behaviourally correct, **INS**-, 393
 - proving correctness of, 443
 - quotient, $_ / SP$, 265, 355
 - for **FPL**, 371
 - reduct, $_ |_{\sigma}$, 261, 353
 - for **FPL**, 373
 - restriction
 - to reachable subalgebra, R_{Σ} , 265
 - to sort-generated subalgebra, R_S , 265, 354
 - to sort-generated submodel, R_S , for **FPL**, 371
 - signature, 260, 280
 - generalised, 498
 - specification, 271, 272, 281
 - consistency of, 272
 - vs. parameterised specification, 279, 292
 - stable, 351
 - expressibility of, and language design, 365
 - for **FPL**, 371
 - INS**-, 385
 - translation of, $\sigma(F)$, 268, 356
 - for **FPL**, 372
 - value, 172
 - context, 65, 280, 443
 - “hole” in, 65
 - induction, 456
 - observable, 340
 - for **FPL**, 371
 - term in, 65
 - value of, on element, 341
 - for **FPL**, 371
 - continuous
 - algebra, 92
 - equational logic for, 169
 - functor, 131
 - contract, specification as, 7
 - contravariant functor, 128
 - convertibility, 66
 - completeness of, 67
 - decision procedure for, 69
 - relation generated by term rewriting system, 66
 - soundness of, 67
 - coproduct, 114
 - coretraction, 111
 - correct, behaviourally, 361, 475
 - for **FPL**, 373
 - INS**-, 393
 - correctness, ix, 2
 - by construction, 9
 - proof of, 9, 13
 - correspondence, 331
 - closed, 360
 - for **FPL**, 368
 - for proving behavioural consequence between specifications, 472
 - weak, 337
 - counit morphism, 152
 - covariant functor, 128
 - Craig interpolation property, 206
 - for equational logic, 207
 - Craig-Robinson interpolation property, 208
 - creating limits, 140
 - cut rule, 54
- D**
- data
 - abstraction, 8, 325
 - constraint, 197
 - refinement, 306, 332
 - value, 20
 - de Morgan law, 47
 - decision procedure
 - for convertibility, 69
 - for semantic consequence, 69
 - lack of, 57, 65
 - decomposition, 10
 - modular, 309
 - definable model class, 188
 - definedness
 - formula, 11, 84
 - proof rule, 404
 - definition
 - function, 174
 - mutually recursive, 175
 - recursive, 173
 - up to isomorphism, 24
 - definitional axiom, 433
 - derivable rule, 54

- derivation, 53
 - derived
 - algebra, 36
 - signature, 36
 - signature morphism, 36
 - reduct w.r.t., 37
 - Satisfaction Lemma for, 44
 - term translation by, 37
 - design
 - decision, 295
 - specification, 310, 324
 - deterministic function, 71
 - development
 - step, 308
 - with shared subtasks, 313, 324
 - Diagonal Fill-in Lemma, 125
 - diagram, 120
 - admitting amalgamation, 202
 - as functor, 131
 - chasing, 108
 - commutative, 23, 108
 - connected, 120
 - expansion, 217
 - method of, 216–217
 - institution admitting, 217
 - of model, 217
 - signature, 217
 - translation of, 131
 - diagrammatic order of composition, 17, 100
 - difference, set, 16
 - discrete category, \mathbf{K}_X , 101
 - disjoint union, 16
 - type, 176
 - domain, 17, 100
 - of partial function, 17
 - dot notation, 314
 - dual, 106
 - duality principle, 107
 - duplex institution, 491
- E**
- elimination rule, 405
 - empty
 - carrier, 20, 38, 55
 - sequence, 19
 - set, 16
 - tuple, 16
 - enrichment of specification, 238
 - entailment
 - between specifications, 429, 443
 - completeness of, 430, 431
 - soundness of, 430, 450
 - constructor, between specifications, 438, 443
 - completeness of, 438
 - soundness of, 438
 - for specification, 416, 443
 - closed completeness of, 417
 - completeness of, 416, 418, 424
 - compositionality of, 417
 - flat completeness of, 417
 - monotonicity of, 417
 - non-absent-mindedness of, 417
 - soundness of, 416, 418, 424, 450
 - environment, Γ -, 284
 - epimorphism, 98, 109
 - equaliser, 115
 - equality
 - existential, 11, 84
 - Kleene, *see* strong equality
 - of sets, 16
 - strong, 11, 84, 408
 - equation, 42
 - conditional, 72
 - congruence generated by set, 58
 - determined by rewrite rule, 66
 - ground, 42
 - implicit vs. explicit quantification in, 42
 - infinitary, 170
 - model of, 42
 - observable, 355
 - orientation of, 66
 - satisfaction of, 42
 - translation of, 43
 - with infinite set of variables, 48
 - see also* sentence
 - equational
 - axiom, 42
 - limitation of, 71
 - calculus, 53
 - completeness of, 56
 - completeness of, for ground equations, for initial semantics, 64
 - soundness of, 55
 - unsoundness of, with implicit quantifiers, 55
 - logic, 162
 - first-order, 90, 165, 168
 - for continuous algebras, 169
 - for partial algebras, 162
 - equationally definable, 47
 - equivalence, 17
 - behavioural, 325, 331
 - for constructors, 399

- for **FPL**, 367
 - INS**-, 389
 - weak, 337
 - class, 18
 - of categories, 143
 - of specifications, 253
 - relation, 17
 - error
 - algebra, 80
 - homomorphism, 80
 - recovery, 82
 - signature, 79
 - value, *see* OK value
 - η -reduction, 284
 - evaluation, term, 30
 - exact institution, 201
 - finitely, 201
 - semi-, 202
 - w.r.t. **I**, 204
 - exception, 11
 - existential equality, 11, 84
 - expansion, 66
 - behavioural, 346
 - for **FPL**, 371
 - diagram, 217
 - model, 159
 - one-step, 66
 - relation generated by term rewriting system, 66
 - explicit quantifier
 - in equation, 42, 55
 - in term rewriting, 68
 - export from specification, 237
 - expression
 - constructor, 281
 - specification, 281
 - expressive power
 - added by hiding, 233
 - of specification, 93
 - extension
 - final, 94
 - free, 65
 - hierarchically consistent, 267
 - reachable, 94
 - sufficiently complete, 267
 - extensional higher-order algebra, 91
- F**
- factorisation, 124
 - system, 124, 153
 - fibration, 153
 - fibred logic, 531
 - final
 - extension, 94
 - model, 76
 - semantics, 76
 - finite
 - sequence, 19
 - set, 16
 - finitely
 - cocomplete category, 121
 - cocontinuous functor, 131
 - complete category, 121
 - continuous functor, 131
 - exact institution, 201
 - first-order
 - formula, 165
 - logic, xi, 166
 - proof rules, 407
 - with equality, 90, 165, 168
 - morphism, 166
 - signature, 165
 - morphism, 165
 - structure, 166
 - fitting morphism, 278
 - flat
 - completeness
 - of entailment for specification, 417
 - of property-oriented semantics, 247
 - specification, 44, 192
 - see also* presentation
 - forgetful functor, 129
 - formal
 - method, 1, 13
 - software development, 9
 - formula
 - atomic, 165
 - definedness, 11, 84
 - first-order, 165
 - open, 210
 - see also* sentence
 - FPL**, 172
 - behavioural specification, 366–384
 - constructor notation, 264, 373
 - incompleteness of, 410, 414
 - model, 172
 - fully abstract, 371
 - morphism, 172
 - behavioural, 370
 - programming part of, 175
 - sentence, 174
 - signature, 172
 - morphism, 174
 - term, 172
 - free
 - enrichment of specification, 238
 - extension, 65
 - constructor, 262, 356

- naturally persistent, 267
 - of specification, 235
 - object, 144
 - variable, 28
 - full subcategory, 105
 - fully abstract
 - algebra, 344
 - model, for **FPL**, 371
 - function
 - application, 17
 - bijjective, 17
 - codomain of, 17
 - composition of, 17
 - definition, 174
 - mutually recursive, 175
 - proof rule, 409
 - recursive, 173
 - deterministic, 71
 - domain of, 17
 - higher-order, 11, 91
 - identity, 17
 - inclusion, 17
 - injective, 17
 - kernel of, 17
 - many-sorted, 16
 - non-deterministic, 92
 - partial, 17, 78–90
 - via error values, 78–83
 - via partial algebras, 83–86
 - via subsorts, 86–90
 - via underspecification, 78
 - returning multiple results, 19
 - surjective, 17, 98
 - total, 17, 71
 - functional
 - behaviour, 5, 41
 - program, x, xi, 12
 - logic for, 172
 - functor, 128
 - category, [**K1**→**K2**], 141
 - cocontinuous, 131
 - finitely, 131
 - composition of, 133
 - continuous, 131
 - finitely, 131
 - contravariant, 128
 - covariant, 128
 - forgetful, 129
 - opposite, 128
 - reduct, 129
 - for first-order structures, 166
 - in institution, 158, 159
- G**
- Galois connection, 50
 - as adjunction, 151
 - closed element in, 50
 - Γ -environment, 284
 - generated
 - OBS*-, 332
 - for **FPL**, 370
 - subalgebra, 21
 - generation constraint, 197
 - generic module, 260
 - see also* constructor
 - global stability, 358
 - for **FPL**, 372
 - INS**-, 386, 391
 - graph, 119
 - Grothendieck
 - category, **Groth(C)**, 141
 - construction, 141
 - institution, 531
 - ground
 - equation, 42
 - term, 28
 - algebra, 28
 - variety, 217
- H**
- Herbrand universe, 28
 - HETCASL
 - hide**, 497
 - with**, 523
 - heterogeneous
 - algebra, 3
 - specification, 493
 - heuristic, 14
 - Heyting algebra, 73
 - hiding
 - in specification, 233
 - information, 7
 - of specification
 - via institution semi-comorphism, 523
 - via institution semi-morphism, 497
 - hierarchical specification, 94
 - hierarchically consistent extension, 267
 - higher-order
 - algebra, 91
 - function, 11, 91
 - logic, 167
 - “hole” in context, 65
 - Hom-functor, 130
 - homomorphism, 22
 - behavioural, 332
 - composition of, 24
 - error, 80

- identity, 22
 - inclusion, 22
 - inverse, 24
 - order-sorted, 87
 - partial algebra, *see* weak homomorphism
 - reduct, 35
 - w.r.t. derived signature morphism, 37
 - strong, 84
 - surjective, 22
 - viewed as function, 22
 - weak, 83
 - see also* morphism
 - horizontal composition
 - of constructor implementations, 310
 - of natural transformations, 137
 - of simple implementations, 299
- I**
- identity, 100
 - function, 17
 - homomorphism, 22
 - morphism, 100
 - image
 - of set, 17
 - of subalgebra, 24
 - imperative program, 11
 - logic for, 176
 - implementation
 - abstractor, *see* behavioural implementation
 - behavioural, 350, 473
 - for **FPL**, 371
 - INS**-, 385
 - constructor, 303
 - for constructor specification, 308
 - generalised, 498
 - proving correctness of, 438
 - with decomposition, 309
 - not preserving consistency, 298
 - simple, 295
 - for constructor specification, 301
 - proving correctness of, 429
 - implicit quantifier
 - equational calculus with, unsoundness of, 55
 - in equation, 42
 - in term rewriting, 65
 - inclusion, 16
 - function, 17
 - homomorphism, 22
 - signature, 33
 - theory, 51
 - indexed category, 141
 - indistinguishability, behavioural, 341
 - for **FPL**, 371
 - partial, 344
 - axiomatisation of, 457–460, 462–465
 - induction
 - context, 456
 - inductionless, *see* proof by consistency
 - rule scheme, 62
 - structural, 408
 - inductionless induction, *see* proof by consistency
 - inference rule, 53
 - infinitary
 - equation, 170
 - logic, 167
 - term, 169
 - infix, 29, 45
 - information hiding, 7
 - initial
 - algebra, 59
 - model, 59, 194
 - class, 59
 - for order-sorted algebras, 88
 - for partial algebras, 85
 - institution admitting, 219
 - non-existence of, 76
 - of conditional equations, 72
 - of error presentation, 81
 - of specification, 235
 - relative to fixed part, 65
 - theorem, 59
 - object, 112
 - semantics, 57–65
 - completeness of, for ground equations, 64
 - incompleteness for, 64
 - initiality constraint, 195
 - injection, 17
 - colimit, 121
 - input/output behaviour, ix, 2
 - INS**-behavioural
 - abstraction of specification, 385
 - w.r.t. behavioural morphism class, 391
 - closure, 384
 - w.r.t. behavioural morphism class, 390
 - correctness, 393
 - equivalence, 389
 - implementation, 385
 - model of persistent constructor specification, 393
 - morphism, 389
 - triviality, 386
 - INS**-stable
 - constructor, 385
 - globally, 386, 391
 - instance, substitution, 66
 - instantiation
 - of generic module, 260

- rule, 53
 - institution, 158
 - abstract algebraic, 218
 - admitting
 - initial models, 219
 - method of diagrams, 217
 - reachable initial models, 219
 - comorphism, 519
 - extending semi-comorphism, 520
 - forward, 518
 - semi-, 520
 - theoroidal, 527
 - compactness of, 189
 - duplex, 491
 - exact, 201
 - finitely, 201
 - I-semi-, 204
 - semi-, 202
 - forward
 - comorphism, 518
 - morphism, 518
 - Grothendieck, 531
 - having amalgamation property, 202
 - I-semi-exact, 204
 - liberal, 219
 - model in, 158
 - morphism, 502
 - extending semi-morphism, 503
 - forward, 518
 - semi-, 487
 - multiplex, 492
 - reduct functor in, 158, 159
 - satisfaction relation in, 158
 - satisfying
 - Craig interpolation property, 206
 - Craig-Robinson interpolation property, 208
 - Robinson consistency property, 206
 - semi-comorphism, 520
 - semi-exact, 202
 - w.r.t. **I**, 204
 - semi-morphism, 487
 - sentence in, 158
 - translation of, 158, 159
 - signature in, 158
 - viewed as a functor, 513
 - with
 - qualified symbols, 227
 - reachability structure, 214
 - syntax, 227
 - Interchange Law, 138
 - interface specification, 7
 - interpolant, 206
 - interpolation, 206
 - intersection, set, 16
 - introduction rule, 405
 - intuitionistic logic, propositional, 165
 - invariant, representation, 323, 332
 - inverse
 - homomorphism, 24
 - morphism, 110
 - relation, 17
 - isomorphic
 - algebras, 24
 - categories, 143
 - objects, 110
 - isomorphism, 24, 110
 - class, 24
 - of models, 61
 - closure under, 234
 - natural, 135
 - up to, 24
- J**
- “junk”, 57
- K**
- kernel of function, 17
 - Kleene equality, *see* strong equality
 - Knuth-Bendix completion algorithm, 70
 - Kripke structure, 186
- L**
- language
 - programming, 293
 - specification, 14
 - wide-spectrum, 324
 - lazy evaluation, 11, 176
 - least congruence, 26
 - left adjoint, 147
 - liberal institution, 219
 - life cycle model, 8
 - lightbulb, 57
 - lightweight formal method, 13
 - limit, 121
 - creating, 140
 - limitation of equational axioms, 71
 - linear-time temporal logic, 185
 - locally small category, 105
 - logic
 - equational, 162
 - first-order, 90, 165, 168
 - for continuous algebras, 169
 - for partial algebras, 162
 - fibred, 531
 - first-order, xi, 166
 - proof rules, 407
 - with equality, 90, 165, 168
 - for functional programs, 172

- programming part of, 175
 - for imperative programs, 176
 - higher-order, 167
 - infinitary, 167
 - modal, 11, 186
 - partial equational, 162
 - program, 91
 - propositional, 163
 - intuitionistic, 165
 - over Boolean algebra, 164
 - proof rules, 405
 - temporal, 185
 - three-valued, 171
- logical system, 11
 - combining, 531
- loose semantics, 44
 - non-degenerate, 75
- M**
- many-sorted
 - algebra, 3, 20
 - equivalence, 17
 - function, 16
 - relation, 17
 - set, 16
 - of variables, 27
 - signature, 19
- mechanical proof search, 57
- method
 - formal, 1, 13
 - of diagrams, 216–217
 - institution admitting, 217
 - rigorous, 13
- minimally defined, 85
- mixfix, 45
- mobility, 11
- modal logic, 11, 186
- model, 188
 - amalgamation, 202
 - behavioural, 342
 - for **FPL**, 371
 - of persistent constructor specification, 362
 - of persistent constructor specification, for **FPL**, 373
 - checking, 9
 - class
 - closed, 188
 - closure of, 188
 - definable, 188
 - initial, 59
 - of equations, 49
 - of sentences, 188
 - of specification, *Mod[SP]*, 231
 - parametric, 65
 - theory of, 188
 - diagram of, 217
 - expansion, 159
 - theory morphism admitting, 193
 - final, 76
 - FPL**-, 172
 - in institution, 158
 - initial, 59, 194
 - for order-sorted algebras, 88
 - for partial algebras, 85
 - institution admitting, 219
 - non-existence of, 76
 - of conditional equations, 72
 - of error presentation, 81
 - of specification, 235
 - relative to fixed part, 65
 - INS**-behavioural, of persistent constructor specification, 393
 - isomorphism class of, 61
 - morphism, amalgamation of, 202
 - of equation, 42
 - of equation set, 42
 - of presentation, 44, 192
 - reachable
 - in institution with factorisation system, 213
 - initial, institution admitting, 219
 - non-degenerate, 75
 - terminal, *see* final model
 - theory, abstract, 227
 - model-theoretic consequence, *see* semantic consequence
 - modular decomposition, 309
 - module interface specification, 7
 - monoid category, 102
 - monomorphism, 109
 - monotone
 - entailment for specification, 417
 - parameterised specification, 276
 - property-oriented semantics, 246
 - specification-building operation, 234
 - morphism, 97, 99
 - category, \mathbf{K}^{\rightarrow} , 107, 139, 141
 - composition of, 100
 - count, 152
 - epi, 109
 - first-order, 166
 - fitting, 278
 - FPL**-, 172
 - behavioural, 370
 - identity, 100
 - INS**-behavioural, 389
 - institution, 502
 - extending semi-morphism, 503
 - forward, 518

inverse, 110
 iso, 110
 mono, 109
 open, 395
 room, 513
 signature, 33, 158
 derived, 36
 first-order, 165
 FPL-, 174
 source of, 100
 specification, 249
 admitting model expansion, 251
 conservative, 250
 proving correctness of, 483
 target of, 100
 theory, 51, 192
 admitting model expansion, 193
 conservative, 193, 414
 unit, 144
 multiple results, function returning, 19
 multiplex institution, 492
 multiplication of natural transformation by functor, 138
 mutually recursive function definition, 175

N

n-ary relation, 17
 name
 compound, 241
 operation, 19
 sort, 19
 natural
 isomorphism, 135
 transformation, 135
 composition of, 137
 multiplication by functor, 138
 naturality, 135
 naturally persistent free extension, 267
 “no confusion” requirement, 58, 74, 85
 “no junk” requirement, 58, 62, 85
 non-absent-mindedness
 of entailment for specification, 417
 of property-oriented semantics, 247
 non-degenerate loose semantics, 75
 non-determinism and underspecification, 399
 non-deterministic function, 92
 non-termination, 10
 non-void sort, 55
 normal form
 specification, 255
 used for proving entailment, 424
 term, 68
 theorem, 255

O

object, 99
 cofree, 152
 colimit, 121
 coproduct, 114
 free, 144
 in category, 99
 initial, 112
 isomorphic, 110
 limit, 121
 product, 113
 quotient, 125
 reachable, 125
 terminal, 113
OBS-admissible **FPL**-signature morphism, 372
OBS-generated
 algebra, 332
 model, for **FPL**, 370
 subalgebra, 332
 submodel, for **FPL**, 370
 observable
 context, 340
 for **FPL**, 371
 equation, 355
 sentence, 461
 sort, 325, 329, 330
 observational, *see* behavioural
 observer operation, 77
 OK value, 80
 ω -completeness, 94
 one-step
 expansion, 66
 reduction, 66
 open
 formula, 210
 morphism, 395
 operation, 20, 165
 infix, 29, 45
 mixfix, 45
 name, 19, 165
 observer, 77
 overloaded, 19
 prefix, 45
 safe, 79
 specification-building, 230
 selection, 428
 opposite
 category, \mathbf{K}^{op} , 106
 functor, 128
 order-sorted
 algebra, 87
 homomorphism, 87
 signature, 86
 orientation of equation, 66

overloaded operation, 19

P

pair, 16

parameterised

program, *see* generic module

specification, 276, 283

monotonicity of, 276

pushout-style, 278

vs. constructor specification, 279, 292

parametric

model class, 65

polymorphism, 92, 136

parchment, 225, 531

partial

algebra, 11, 83

homomorphism, *see* weak homomorphism

behavioural

congruence, for **FPL**, 370

indistinguishability, 344

indistinguishability, axiomatisation of, 457–460, 462–465

congruence, 344

for **FPL**, 370

quotient by, 344

quotient by, for **FPL**, 370

equational logic, 162, 168

first-order logic, 168

function, 17, 78–90

as model of generic module, 260

domain of, 17

via error values, 78–83

via partial algebras, 83–86

via subsorts, 86–90

via underspecification, 78

logic

equational, 162, 168

first-order, 168

pattern-matching case analysis, 173

adding observational power, 369

proof rule, 409, 410

persistent constructor, 266

specification, 272

behavioural model of, 362

behavioural model of, for **FPL**, 373

behavioural model of, **INS**-, 393

polymorphic type, 91

polymorphism, 11

parametric, 92, 136

predicate

in initial model, 197

name, 165

prefix, 45

preorder

category, \mathbf{K}_{\leq} , 101

relation, 100

presentation, 44, 192

axiom of, 44

completeness of, 193

consistency of, 193

effectively presentable, 44

model of, 44, 192

of theory, 51, 192

see also flat specification

problem decomposition, 10

product, 16, 97, 113

algebra, 22

category, $\mathbf{K1} \times \mathbf{K2}$, 107

object, 97

type, 176

program

behaviour, 325

functional, x, xi, 12

logic for, 172

imperative, 11

logic for, 176

logic, 91

module, algebra as model of, 7

structure vs. specification structure, 323

verification, 8, 402

programming language, 293

projection, limit, 121

proof

at four levels, need for, 401

by consistency, 70

of correctness, 9, 13

rule, *see* rule

search, mechanical, 57

system, 53–57, 64, 401–481

borrowing, 532

see also entailment system

proof-theoretic consequence, 53, 64

approximates truth, 64, 402

proper

subalgebra, 21

subset, 16

property-oriented

semantics, 246

closed completeness of, 247

completeness of, 247

compositionality of, 246

flat completeness of, 247

monotonicity of, 246

non-absent-mindedness of, 247

soundness of, 247

specification, x

propositional

connectives, closure under, 182

logic, 163
 intuitionistic, 165
 over Boolean algebra, 164
 proof rules, 405
 variable, 163
 provability, *see* proof-theoretic consequence
 pullback, 116
 wide, 122
 pushout, 118
 closure under, 204
 style parameterised specification, 278
 wide, 256

Q

quantifier
 explicit
 in equation, 42, 55
 in term rewriting, 68
 implicit
 equational calculus with, unsoundness of, 55
 in equation, 42
 in term rewriting, 65
 quasi-variety, 126
 quotient, 18
 algebra, 26
 behavioural, for **FPL**, 371
 by partial congruence, 344
 for **FPL**, 370
 construction, 58
 constructor, 265, 355
 for **FPL**, 371
 functor, $_{-}/\mathcal{C}$, 129
 object, 125
 set, 18

R

reachability
 constraint, 196
 structure, institution with, 214
 reachable
 algebra, 21
 extension, 94
 initial models, institution admitting, 219
 model
 in institution with factorisation system, 213
 non-degenerate, 75
 of specification, 235
 object, 125
 semantics, 75
 reactive system, 11
 realisation, 5, 41
 recursive function definition, 92, 173
 proof rule, 409

redex, 66
 reduct
 algebra, 34
 w.r.t. derived signature morphism, 37
 as definitional mechanism, 261
 congruence, 35
 constructor, 261, 353
 for **FPL**, 373
 functor, 129
 for first-order structures, 166
 in institution, 158, 159
 homomorphism, 35
 w.r.t. derived signature morphism, 37
 reduction, 66
 β -, 283
 η -, 284
 one-step, 66
 relation generated by term rewriting system, 66
 step, 66
 subject, 284, 449
 system, abstract, 69
 refinement, *see* simple implementation
 data, 306, 332
 stepwise, 9, 294, 352
 reflexive
 entailment relation, 403
 relation, 18
 reflexivity rule, 53
 relation, 17
 composition of, 17
 congruence, 26
 equivalence, 17
 inverse, 17
 many-sorted, 17
 n -ary, 17
 preorder, 100
 reflexive, 18
 symmetric, 18
 transitive, 18
 relativisation, behavioural, 456
 renaming, 39
 representation invariant, 323, 332
 requirements specification, 7, 295
 restriction constructor
 to reachable subalgebra, 265
 to sort-generated subalgebra, 265, 354
 to sort-generated submodel, for **FPL**, 371
 result sort, 19
 retraction, 98, 111
 retrieve function, 323
reveal, *see* specification export
 rewrite rule, 65
 conditional, 72

- determining equation, 66
- right adjoint, 152
- rigorous method, 13
- Robinson consistency property, 206
- room
 - boolean, 513
 - morphism, 513
- rule
 - abstraction, 56
 - admissible, 54
 - α -conversion, 410
 - \wedge -E, 405
 - \wedge -I, 405
 - axiom, 53, 405
 - concretion, 56
 - congruence, 53
 - cut, 54
 - derivable, 54
 - elimination, 405
 - enrichment, *SP then sorts* S ops $\Omega \bullet \Phi$, 422, 432, 467
 - \exists -E, 407
 - \exists -I, 407
 - for **PFOP**, 408
 - export, *SP reveal* Σ , 422, 432
 - false-E, 405
 - false-I, 405
 - flat specification, 417, 430, 466, 469
 - \forall -E, 407
 - for **PFOP**, 408
 - \forall -I, 407
 - hiding, *SP hide via* σ , 418, 430, 467, 471
 - \Rightarrow -E, 405
 - \Rightarrow -I, 405
 - inference, 53
 - instantiation, 53
 - for **PEQ**, 403
 - introduction, 405
 - $\neg\neg$ -E, 405
 - \neg -I, 405
 - \vee -E, 405
 - \vee -I, 405
 - pattern-matching case analysis, 409, 410
 - recursive function definition, 409
 - reflexivity, 53
 - rewrite, 65
 - determining equation, 66
 - soundness of, 416
 - structural induction, 408
 - substitutivity, 56
 - sum, *SP₁ and SP₂*, 422, 432
 - symmetry, 53
 - transformation, 299
 - transitivity, 53
 - translation, *SP with* σ , 418, 430, 466, 470
 - true-I, 405
 - union, *SP₁ \cup SP₂*, 417, 430, 466, 470
 - weakening, 54
- S**
- S*-sorted, *see* many-sorted
- safe
 - operation, 79
 - variable, 80
- satisfaction
 - behavioural, 342
 - for **FPL**, 371
 - condition, 158, 160
 - for institution comorphism, 519
 - for institution morphism, 503
 - in institution, 158
 - of equation, 42
 - of equation set, 42
 - of first-order sentence, 166
- Satisfaction Lemma, 43
 - for derived signature morphisms, 44
 - for terms, 36
- SBO, *see* specification-building operation
- selection operation, 428
- semantic consequence, 50, 64, 188, 430
 - decision procedure for, 69
 - lack of, 57, 65
 - embodies truth, 64, 402
 - of specification, 245
 - semi-decision procedure for, 56
- semantics
 - behavioural, 342
 - for **FPL**, 371
 - compositionality of, 230
 - final, 76
 - initial, 57–65
 - loose, 44
 - non-degenerate, 75
 - of constructor expression, 284
 - definedness of, 450
 - of specification, 230
 - of specification expression, 284
 - definedness of, 450
 - property-oriented, 246
 - closed completeness of, 247
 - completeness of, 247
 - compositionality of, 246
 - flat completeness of, 247
 - monotonicity of, 246
 - non-absent-mindedness of, 247
 - soundness of, 247
 - vs. model-oriented, 245
 - reachable, 75

- semi-comorphism, institution, 520
- semi-computable algebra, 71
- semi-decision procedure for semantic consequence, 56
- semi-exact institution, 202
 - w.r.t. **I**, 204
- semi-morphism, institution, 487
- sentence
 - first-order, satisfaction of, 166
 - FPL**-, 174
 - in institution, 158
 - observable, 461
 - set
 - closed, 188
 - closure, 188
 - translation of, in institution, 158, 159
- sequence, 19
- set
 - Cartesian product, 16, 97
 - coimage of, 17
 - difference, 16
 - empty, 16
 - equality, 16
 - finite, 16
 - image of, 17
 - intersection, 16
 - many-sorted, 16
 - of variables, 27
 - quotient, 18
 - theory, xi, 16–18
 - union, 16
- set-theoretic foundations for category theory, 104
- set/class distinction, 104
- Σ -specification, 230
 - class of all, *Spec*(Σ), 230
- signature, 4, 19
 - algebraic, 19
 - constructor, 260, 280
 - generalised, 498
 - derived, 36
 - diagram, 217
 - error, 79
 - first-order, 165
 - morphism, 165
 - FPL**-, 172
 - morphism, 174
 - in institution, 158
 - inclusion, 33
 - many-sorted, 19
 - morphism, 33, 158
 - algebraic, 33
 - composition of, 34
 - derived, 36
 - first-order, 165
 - FPL**-, 174
 - of specification, *Sig*[*SP*], 231
 - order-sorted, 86
 - simple implementation, 295
 - for constructor specification, 301
 - horizontal composition of, 299
 - proving correctness of, 429
 - vertical composition of, 295
 - simplification rule, *see* rewrite rule
 - singleton specification, 272
 - skeletal category, 143
 - skeleton, 143
 - sketch, 153
 - slice category, $\mathbf{K}\downarrow A$, 108, 139
 - small category, 105
 - software
 - development, formal, 9
 - life cycle model, 8
 - system, algebra as model of, ix, 3
 - sort, 19, 165
 - name, 19, 165
 - non-void, 55
 - observable, 325, 329, 330
 - with value constructors, 172
 - soundness, 55
 - of conditional equational calculus, 72
 - of constructor entailment between specifications, 438
 - of convertibility, 67
 - of entailment
 - between specifications, 430, 450
 - for specification, 416, 418, 424, 450
 - system, 403
 - of equational calculus, 55
 - of induction rule scheme, 62
 - of property-oriented semantics, 247
 - of rule, 416
 - of typing, 285
 - vs. completeness, 56, 402
 - source, 17, 100
 - specification, 5, 41
 - abstract model, 336
 - algebraic, xi, 1
 - as contract, 7
 - behavioural abstraction
 - abstract SP wrt OBS**, 335
 - abstract SP wrt OBS**, for **FPL**, 370
 - INS**-, **abstract SP wrt \equiv** , 385
 - INS**-, w.r.t. behavioural morphism class, **abstract SP wrt \mathcal{B}** , 391
 - weak, **weak abstract SP wrt OBS**, 339
 - behavioural consequence between, 469
 - behavioural consequence for, 466

- class of all over institution, $Spec_{\text{INS}}$, 494
- class of all, $Spec$, 230
- closure under isomorphism, **iso-close** SP , 234
- consistency of, 230
- constructor entailment between, 438, 443
 - completeness of, 438
 - soundness of, 438
- enrichment, SP **then sorts** S **ops** $\Omega \bullet \Phi$, 238
 - proof rule, 422
 - proof rule for behavioural consequence, 467
 - proof rule for entailment between specifications, 432
- entailment between, 429, 443
 - completeness of, 430, 431
 - soundness of, 430, 450
- entailment for, 416, 443
 - closed completeness of, 417
 - completeness of, 416, 418, 424
 - compositionality of, 417
 - flat completeness of, 417
 - monotonicity of, 417
 - non-absent-mindedness of, 417
 - soundness of, 416, 418, 424, 450
- equivalent, 253
- export, SP **reveal** Σ , 237
 - proof rule, 422
 - proof rule for entailment between specifications, 432
- expression, 281
 - semantics of, 284
- expressive power, 93
 - added by hiding, 233
- flat, 44, 192
 - proof rule, 417
 - proof rule for behavioural consequence, 466
 - proof rule for behavioural consequence between specifications, 469
 - proof rule for entailment between specifications, 430
 - see also* presentation
- free enrichment, SP **then free sorts** S **ops** $\Omega \bullet \Phi$, 238
- free extension, **free** SP **wrt** σ , 235
- heterogeneous, 493
- hiding
 - via institution semi-comorphism, SP' **hide via** ρ **to** Σ , 523
 - via institution semi-morphism, SP **hide via** μ , 497
- hiding, SP **hide via** σ , 233
 - proof rule, 418
 - proof rule for behavioural consequence, 467
 - proof rule for behavioural consequence between specifications, 471
 - proof rule for entailment between specifications, 430
- hierarchical, 94
- in normal form, 255
 - used for proving entailment, 424
- in the large, 229
- in the small, 44
- initial models of, **initial** SP , 235
- language, 14, 237
 - CASL, 14, 230, 237
 - syntax, 237
- model class, $Mod[SP]$, 231
- module interface, 7
- morphism, 249
 - admitting model expansion, 251
 - conservative, 250
 - proving correctness of, 483
- of constructor, 271, 272, 281
 - consistency of, 272
 - vs. parameterised specification, 279, 292
- of design, 310, 324
- of persistent constructor, 272
 - behavioural model of, 362
 - behavioural model of, for **FPL**, 373
 - behavioural model of, **INS-**, 393
- of requirements, 7, 295
- over an institution, 231
- parameterised, 276, 283
 - pushout-style, 278
 - vs. constructor specification, 279, 292
- property-oriented, **x**
- reachable models of, **reachable** SP **on** S , 235
- semantics, 230
- Σ -, class of all, $Spec(\Sigma)$, 230
- signature, $Sig[SP]$, 231
- singleton, $\{M\}$, 272
- structure vs. program structure, 323
- structured, 8, 230
- sum with sharing, $SP_1 +_{\sigma_1, \sigma_2} SP_2$, 240
- sum, SP_1 **and** SP_2 , 240
 - proof rule, 422
 - proof rule for entailment between specifications, 432
- \mathcal{T} -, 283
- translation
 - by institution semi-comorphism, SP **with** ρ , 523
 - by institution semi-morphism, SP' **with** μ **to** Σ , 493
- translation, SP **with** σ , 232
 - proof rule, 418
 - proof rule for behavioural consequence, 466
 - proof rule for behavioural consequence between specifications, 470

- proof rule for entailment between specifications, 430
 - type, 281, 283
 - union, $SP_1 \cup SP_2$, 232
 - proof rule, 417
 - proof rule for behavioural consequence, 466
 - proof rule for behavioural consequence between specifications, 470
 - proof rule for entailment between specifications, 430
 - unstructured, *see* flat specification
 - specification-building operation, 230
 - combination of, 237
 - monotonicity of, 234
 - selection, 428
 - stable
 - constructor, 351
 - expressibility of, and language design, 365
 - for **FPL**, 371
 - globally, 358
 - for **FPL**, 372
 - stepwise refinement, 9, 294, 352
 - strong
 - equality, 11, 84, 408
 - first-order morphism, 166
 - homomorphism, 84
 - strongly
 - liberal institution, 219
 - normalising, *see* terminating
 - structural induction, 408
 - structure
 - first-order, 166
 - Kripke, 186
 - program vs. specification, 323
 - structured specification, 8, 230
 - subalgebra, 21
 - behavioural, 332
 - coimage of, 24
 - generated by set, 21
 - image of, 24
 - OBS*-generated, 332
 - proper, 21
 - sort-generated, 265
 - see also* submodel
 - subcategory, 105
 - substitution, 162, 522
 - subject reduction, 284, 449
 - submodel
 - behavioural, for **FPL**, 370
 - OBS*-generated, for **FPL**, 370
 - subobject, 125
 - subset, 16
 - subsignature, 19
 - subsort, 87
 - substitution, 30, 31
 - composition of, 30
 - in term, 30
 - instance, 66
 - substitutivity rule, 56
 - sufficient completeness, 61
 - of extension, 267
 - sum of specifications, 240
 - supersort, *see* subsort
 - surjective
 - function, 17, 98
 - homomorphism, 22
 - symmetric relation, 18
 - symmetry rule, 53
 - system
 - logical, 11
 - proof, 53–57, 64, 401–481
 - see also* entailment system
 - reactive, 11
 - term rewriting, 66
- T**
- \mathcal{T} -specification, 283
 - target, 17, 100
 - temporal logic, 185
 - term, 28
 - algebra, 27
 - functor, T_{Σ} , 129
 - ground, 28
 - conditional, 175
 - evaluation, 30
 - FPL**-, 172
 - ground, 28
 - in context, 65
 - infinitary, 169
 - rewriting
 - explicit quantifier in, 68
 - implicit quantifier in, 65
 - system, 66
 - Satisfaction Lemma, 36
 - substitution, 30
 - translation, 35
 - w.r.t. derived signature morphism, 37
 - value, 30
 - with variables, 28
 - terminal
 - model, *see* final model
 - object, 113
 - terminating term rewriting system, 68
 - testing, 9
 - then**, *see* specification enrichment
 - theoretical institution comorphism, 527
 - theory, 51, 192
 - algebraic, 104

inclusion, 51
 morphism, 51, 192
 admitting model expansion, 193
 composition of, 51
 conservative, 193, 414
 of algebra class, 49
 of model class, 188
 of specification, 245
 presentation, 51, 192
 three-valued logic, 171
 top-down vs. bottom-up development, 308
 total function, 17, 71
 transformation
 natural, 135
 rule, 299
 transitive
 entailment relation, 403
 relation, 18
 transitivity rule, 53
 translation
 of constructor, 268, 356
 for **FPL**, 372
 of diagram, 131
 of equation, 43
 of sentence in institution, 158, 159
 of specification, 232
 by institution semi-comorphism, 523
 by institution semi-morphism, 493
 of term, 35
 w.r.t. derived signature morphism, 37
 trivial, behaviourally, 353
 for **FPL**, 371
 INS-, 386
 tuple, 16
 type
 disjoint union, 176
 polymorphic, 91
 product, 176
 specification, 281, 283
 unit, 176
 typing, soundness of, 285

U

union, 16
 disjoint, 16
 of specifications, 232
 unit
 morphism, 144
 type, 176
 universal
 algebra, x, xi, 15–57
 property, 119
 universe
 Herbrand, 28

 of variables, 42
 unsafe, *see* safe
 unstructured specification, *see* flat specification

V

V-model, 9
 validation, 7, 14
 valuation, 30
 value, 20
 constructor, 172
 error, *see* OK value
 of context on element, 341
 for **FPL**, 371
 of term, 30
 OK, 80
 variable, 27
 free, 28
 propositional, 163
 safe, 80
 universe of, 42
 variety, 47
 ground, 217
 quasi-, 126
 verification of program, 8, 402
 vertical composition
 of behavioural implementations, 352
 for **FPL**, 371
 of constructor implementations, 303
 of natural transformations, 137
 of simple implementations, 295

W

waterfall model, 8
 weak
 behavioural
 abstraction of specification, 339
 closure, 339
 equivalence, 337
 confluence, 69
 correspondence, 337
 homomorphism, 83
 weakening, 403
 rule, 54
 weakly normalising, 70
 what versus how, 6
 while-program, 176
 wide
 pullback, 122
 pushout, 256
 subcategory, 105
 wide-spectrum language, 324
with, *see* specification translation
 word algebra, *see* term algebra